





WASHROOM & PLUMBING SOLUTIONS





AQUAZONE UK was established in England in 2008 to produce and supply high quality plumbing products to the commercial project sector. The company's sub-brands have become well established in the UK and export markets, supplying to many prestigious projects around the world.

AQUAECO is a comprehensive collection of high quality plumbing solutions produced to the highest UK and European standards.







**AQUAZONE** 

# INDEX

MIXERS			
Embassy			
Diplomat			
Senator			
Consul			
Thermostatic			
Kitchen			
Richer			
ACCESSORY SETS			
IX304			
Stainless Steel Mixers			
Stainless Steel Accessories			
Stainless Steel Washroom			
WASHROOM			
Commercial Soap Dispensers			
Hand Dryer			
Paper Towel & Tissue Dispensers			
Infrared Mixers			
Infrared Soap Dispensers			
Pillar & Push Taps			
Mixer Valves			
Medical & Supportive Solutions			
Foot Wash			
Urinals			
CISTERNS & MECHANISMS			
Sensor Flush Plates			
Flush Plates			
Concealed Flushing Cisterns			
Cistern Mechanisms			
WATER SAVING & SAFETY			
WASTES & TRAPS			
Wastes			
Traps			
Bath Wastes & Fillers			
Shower Tray Wastes			
Flexible Hoses			
CIVILIC			
SINKS			
Stainless Steel Sinks			
Cleaner's Sink			





Mono Basin Mixer with Pop-up Waste with I/2" Flexible Pipes Min. Operating Pressure 0.2 bar LP Chrome

AOE-EMB-301-CP



Mono Bidet Mixer with Pop-up Waste with 1/2" Flexible Pipes Min. Operating Pressure 1.0 bar MP Chrome

AQE-EMB-310-CP





Exposed Bath Shower Mixer without Shower Kit Min. Operating Pressure 1.5 bar MP Chrome

AOE-EMB-325-CP



Exposed Shower Mixer without Shower Kit Min. Operating Pressure 0.5 bar LP Chrome

AOE-EMB-324-CP



Concealed Shower Mixer Min. Operating Pressure 1.0 bar MP Chrome

AQE-EMB-410-CP



Concealed Shower Mixer with Diverter
Min. Operating Pressure 1.0 bar MP

AQE-EMB-411-CP



Slide Rail Kit Consists of:

- Slide Rail
- 3 Function Hand Shower
- Double Interlock Hose 1500 mm Min. Operating Pressure 1.0 bar MP Chrome

AOE-EMB-K515-CP



Hand Shower Kit

- 3 Function Hand Shower
- Combined Wall Outlet and Bracket
- Double Interlock Hose 1500 mm Min. Operating Pressure 1.0 bar MP Chrome

AQE-EMB-D515-CP



Mono Basin Mixer with Pop-up Waste with 1/2" Flexible Pipes Min. Operating Pressure 0.5 bar LP Chrome

AOE-DIP-301-CP



Mono Bidet Mixer with Pop-up Waste with 1/2" Flexible Pipes Min. Operating Pressure 1.0 bar MP Chrome

AQE-DIP-310-CP



Exposed Bath Shower Mixer without Shower Kit
Min. Operating Pressure 1.5 bar MP
Chrome

AOE-DIP-325-CP



Exposed Shower Mixer without Shower Kit Min. Operating Pressure 1.0 bar MP Chrome

AOE-DIP-324-CP



Concealed Shower Mixer
Min. Operating Pressure 1.0 bar MP
Chrome

AQE-DIP-410-CP



Concealed Shower Mixer with Diverter
Min. Operating Pressure 1.0 bar MP
Chrome

AQE-DIP-411-CP





Slide Rail Kit Consists of:

- Slide Rail
- 3 Function Hand Shower
- Double Interlock Hose 1500 mm Min. Operating Pressure 1.0 bar MP Chrome

AOE-DIP-K515-CP



Hand Shower Kit

- 3 Function Hand Shower
- Combined Wall Outlet and Bracket
- Double Interlock Hose 1500 mm Min. Operating Pressure 1.0 bar MP Chrome

AQE-DIP-D515-CP





Mono Basin Mixer with Pop-up Waste with 1/2" Flexible Pipes Min. Operating Pressure 0.2 bar LP Chrome

AOE-SEN-301-CP



Mono Basin Mixer without Pop-up Waste with I/2" Flexible Pipes Min. Operating Pressure 0.2 bar LP Chrome

AOE-SEN-301S-CP



Mono Bidet Mixer with Pop-up Waste with 1/2" Flexible Pipes Min. Operating Pressure 1.0 bar MP Chrome

AOE-SEN-310-CP



Exposed Bath Shower Mixer without Shower Kit
Min. Operating Pressure 1.5 bar MP Chrome

AOE-SEN-325-CP



Concealed Shower Mixer
Min. Operating Pressure 0.5 bar LP
Chrome

AQE-SEN-410-CP



Concealed Shower Mixer with Diverter
Min. Operating Pressure 1.5 bar MP
Chrome

AOE-SEN-411-CP





Slide Rail Kit

- Slide Rail
- 3 Function Hand Shower
- Double Interlock Hose 1500 mm Min. Operating Pressure 1.0 bar MP Chrome

AQE-DIP-K515-CP



Hand Shower Kit Consists of:

- 3 Function Hand Shower
- Combined Wall Outlet and Bracket
- Double Interlock Hose 1500 mm Min. Operating Pressure 1.0 bar MP Chrome

AQE-DIP-D515-CP





Mono Basin Mixer with Pop-up Waste with I/2" Flexible Pipes Min. Operating Pressure 0.5 bar LP Chrome

AOE-CNS-301-CP



Mono Bidet Mixer with Pop-up Waste with 1/2" Flexible Pipes Min. Operating Pressure 1.0 bar MP Chrome

AOE-CNS-310-CP



Exposed Bath Shower Mixer without Shower Kit Min. Operating Pressure 1.5 bar MP Chrome

AOE-CNS-325-CP



Concealed Shower Mixer Min. Operating Pressure 0.5 bar LP Chrome

AOE-CNS-410-CP



Concealed Shower Mixer with Diverter
Min. Operating Pressure 1.0 bar MP Chrome

AOE-CNS-411-CP



Slide Rail Kit Consists of:

- Slide Rail
- 3 Function Hand Shower
- Double Interlock Hose 1500 mm Min. Operating Pressure 1.0 bar MP Chrome

AQE-EMB-K515-CP




Hand Shower Kit Consists of:

- 3 Function Hand Shower
- Combined Wall Outlet and Bracket
- Double Interlock Hose 1500 mm Min. Operating Pressure 1.0 bar MP Chrome

AQE-EMB-D515-CP







Exposed Thermostatic Shower Mixer without Shower Kit with 1/2" Connection Min. Operating Pressure 0.2 bar LP Chrome

AQE-ECO-TI01-CP



Exposed Thermostatic Bath Shower Mixer without Shower Kit with 1/2" Connection Min. Operating Pressure 1.0 bar MP Chrome

AQE-ECO-T401-CP



Thermostatic Bath Shower Mixer with Pillar without Shower Kit with 1/2" Connection Min. Operating Pressure 1.0 bar MP Chrome

AQE-ECO-T601-CP





## Q Single Hole Kitchen Sink Mixer with Swivel Spout with 1/2" Flexible Pipes Min. Operating Pressure 1.5 bar MP Chrome

AQE-Q-361-CP



# Lundy

Single Hole Kitchen Sink Mixer with Swivel Spout with 1/2" Flexible Pipes Min. Operating Pressure 0.5 bar LP Chrome

AQE-LUN-361-CP





### Tresco

Single Hole Kitchen Sink Mixer with Swivel Spout with 1/2" Flexible Pipes Min. Operating Pressure 0.5 bar LP Chrome

AQE-TRE-361-CP



### Canvey

Single Hole Kitchen Sink Mixer with Swivel Spout with 1/2" Flexible Pipes Min. Operating Pressure 1.0 bar MP Chrome

AOE-CAN-361-CP



### **Diplomat**

Single Hole Kitchen Sink Mixer with Swivel Spout with 1/2" Flexible Pipes Min. Operating Pressure 1.0 bar MP Chrome

AOE-DIP-361-CP



#### Stamford

Single Hole Kitchen Sink Mixer with Pull-Out Shower with 1/2" Flexible Pipes Min. Operating Pressure 1.0 bar MP Chrome

AQE-STM-361-CP



#### Eco

Wall Mounted Kitchen Sink Mixer with Swivel Spout Min. Operating Pressure 0.5 bar LP Chrome

AQE-ECO-361-CP



ACCESSORY SETS









Wall Mounted Tumbler and Holder



Toilet Roll Holder with Cover



Towel Rail 65 cm



Wall Mounted Soap Dish and Holder



Towel Ring



Robe Hook



#### **Derwent**

6 Piece Accessory Pack Chrome

AQE-DER-750-CP







Wall Mounted Tumbler and Holder



Toilet Roll Holder with Cover



Towel Rail 65 cm



Wall Mounted Soap Dish and Holder



Towel Ring



Robe Hook



**Windemere** 6 Piece Accessory Pack Chrome

AQE-WIN-750-CP



IX304







Stainless Steel Mono Basin Mixer with Push Type Waste with 3/8" Flexible Pipes 189 mm High Brushed Stainless Steel

BDM-AQU-111914-A-SS



Stainless Steel Mono Tall Basin Mixer with Push Type Waste with 3/8" Flexible Pipes 327 mm High Brushed Stainless Steel

BDM-AQU-111921-A-SS



Stainless Steel Mono Basin Mixer with Pop-up Waste with 3/8" Flexible Pipes 158 mm High Brushed Stainless Steel





Stainless Steel Mono Tall Basin Mixer with Pop-up Waste with I/2" Flexible Pipes 288 mm High Brushed Stainless Steel AQM-IX3-302-SS



Stainless Steel Mono Tall Basin Mixer with Pop-up Waste with 1/2" Flexible Pipes 338 mm High Brushed Stainless Steel





Stainless Steel One Piece Concealed Basin Mixer without Pop-up Waste Spout Length 225 mm Brushed Stainless Steel

**AQM-IX3-305-SS** 







Stainless Steel Self Closing Push Tap with 1/2" Connection Flow Time 10 seconds (+/- 3sec) Brushed Stainless Steel AQM-IX3-306-SS



Stainless Steel Wall Mounted Self Closing Push Tap with 1/2" Connection Flow Time 10 seconds (+/- 3sec) Brushed Stainless Steel AQM-IX3-307-SS

Mixers on this page require a Mixer Valve (page 35)







Stainless Steel Wall Mounted Spout Spout Length 317 mm Brushed Stainless Steel AOM-IX3-470-SS



Stainless Steel Slide Rail Kit Consists of:

- Slide Rail
- Single Function Hand Shower
- Stainless Steel Double Interlock Hose 1500 mm

Min. Operating Pressure 0.5 bar LP Brushed Stainless Steel

AOM-IX3-K515-SS

Stainless Steel Single Function Hand Shower Dia. 24 x 197 mm Brushed Stainless Steel AOM-IX3-201-SS



Stainless Steel Concealed Shower Mixer Brushed Stainless Steel AOM-IX3-410-SS



Stainless Steel Wall Outlet and Bracket 1/2" Brushed Stainless Steel **AQM-IX3-602-SS** 



Stainless Steel Wall Outlet 1/2" Brushed Stainless Steel AOP-IX3-604-SS







Stainless Steel Bidet Spray Kit Consists of:

- Bidet Shower in Stainless Steel
- Double Interlock Brass Hose
- Wall Bracket in Stainless Steel Brushed Stainless Steel

1000 mm Hose

AOF-SHA-IX304-A-SS

1200 mm Hose

AOF-SHA-IX304-B-SS



Stainless Steel Angle Valve 1/2" x 1/2" Brushed Stainless Steel

BDP-ANG-122-A-SS



Always Open Waste 1 1/4" 60 mm Length Brushed Stainless Steel

Branded

AOE-IX3-300-SS

Unbranded

AQE-IX3-300-UB-SS



Push Type Basin Waste 1 1/4" Slotted 95 mm Length Brushed Stainless Steel

Branded

AQE-IX3-301-SS

Unbranded

AQE-IX3-301-UB-SS













Stainless Steel Wall Mounted Soap Dish and Holder 118 x 129 x 65 mm Brushed Stainless Steel

BDA-IX3-602-A-SS



Counter Recessed Liquid Soap Dispenser 500 ml Dia. 63 x 333 mm Brushed Stainless Steel

AOA-IX3-101-SS



Stainless Steel Toilet Roll Holder with Cover 135 x 54 x 128 mm Brushed Stainless Steel BDA-IX3-522-A-SS



Stainless Steel Toilet Roll Holder without Cover 135 x 54 x 106 mm Brushed Stainless Steel

BDA-IX3-512-A-SS



Stainless Steel Spare Toilet Roll Holder 50 x 69 x 162 mm Brushed Stainless Steel **BDA-1X3-502-A-SS** 



Stainless Steel Towel Ring 180 x 55 x 200 mm Brushed Stainless Steel **BDA-IX3-702-A-SS** 





Stainless Steel Towel Rack with Hanging Rail 600 x 239 x 127 mm Brushed Stainless Steel



Stainless Steel Towel Rail  $650 \times 62 \times 50 \text{ mm}$ Brushed Stainless Steel

RDA-IX3-712-A-SS



Stainless Steel Single Robe Hook 50 x 40 x 50 mm Brushed Stainless Steel

BDA-IX3-412-A-SS



Stainless Steel Double Robe Hook 81 x 57 x 50 mm Brushed Stainless Steel BDA-IX3-422-A-SS



Stainless Steel Wall Mounted Door Stop with Hook 45 x 76 x 45 mm Brushed Stainless Steel

**RDA-IX3-452-A-SS** 



Stainless Steel Floor Mounted Door Stop Dia 40 x 40 mm

Brushed Stainless Steel BDA-IX3-651-A-SS











Wall Mounted Toilet Roll Holder with Spindle System with Cylinder Lock and Key Stainless Steel Grade 304 Thickness 1.0 mm 120 x 140 x 91 mm Stainless Steel

AOA-IX3-713-SS



Wall Mounted Double Toilet Roll Holder with Spindle System with Cylinder Lock and Key Stainless Steel Grade 304 Thickness 1.0 mm 146 x 151 x 310 mm Stainless Steel

AOA-IX3-712-D-SS



Wall Mounted Towel
Dispenser
with Cylinder Lock and Key
Stainless Steel Grade 304
Thickness 1.0 mm
270 x 110 x 300 mm
Stainless Steel

AOA-IX3-711-SS



Recessed Wall Mounted Paper Towel Dispenser and Waste Bin with Cylinder Lock and Key Stainless Steel Grade 304 Thickness 1.0 mm 347 x 131 x 710 mm Stainless Steel

AQA-IX3-731-SS



Wall Mounted Waste Bin Stainless Steel Grade 304 Thickness 1.0 mm 295 x 200 x 469 mm Stainless Steel

**AQA-IX3-733-SS** 



Wall Mounted Toilet Brush and Holder Stainless Steel Grade 304 Thickness 1.0 mm 103 × 109 × 280 mm Stainless Steel

AOA-IX3-714-SS

Stainless Steel Grade 304 Complies to EU Directive EN 10088-2



WASHROOM









Wall Mounted Liquid Soap Dispenser Polished Stainless Steel

500 ml 94 x 58 x 150 mm **AQE-5825-SS** 

1000 ml 120 x 68 x 205 mm **AOF-5827-SS** 



Wall Mounted Liquid Soap Dispenser High Quality ABS Construction High Quality Disc Pump Keyless Dispenser 1000 ml

AOA-ECO-702-WH



#### IX304

Wall Mounted Liquid Soap Dispenser with Infrared Sensor Battery Operated 800 ml with Cylinder Lock and Key Stainless Steel Grade 304 Thickness 1.0 mm 110 x 110 x 260 mm Stainless Steel

AQA-IX3-701-SS



#### IX304

Wall Mounted Manual Soap Dispenser 800 ml with Cylinder Lock and Key Stainless Steel Grade 304 Thickness 1.0 mm 110 x 130 x 303 mm Stainless Steel

AOA-IX3-703-SS

## HAND DRYFR



#### IX304

Wall Mounted Electric Hand Dryer with Infrared Sensor Mains Operated Stainless Steel Grade 304 Thickness 1.0 mm 1000 Watts 220-240V, 50/60Hz IPX1 Rating 220 × 125 × 265 mm Stainless Steel

**AQA-IX3-738-SS** 

Stainless Steel Grade 304 Complies to EU Directive EN 10088-2





Paper Towel Dispenser
High Quality ABS Construction
Lockable
High Impact Cover
Versatile Aperture will Dispense most
Paper Towel Types
Max. Paper Towel Size 255 x 120 mm
Towel Capacity: 400 C-fold Towels or
600 Multifold Towels
White



Toilet Tissue Dispenser 10"
High Quality ABS Construction
Lockable
High Impact Material
Inner Core Diameter 2.25"
Whire

AOA-ECO-740-WH


AOA-ECO-730-WH



Paper Towel Dispenser
High Quality ABS Construction
Lockable
Maximum Roll Size —
230 mm High and 220 mm Diameter
Suitable for most Industrial Areas,
Garages, Service Stations, Schools,
Kitchens Etc.
Whire

AQA-ECO-731-WH

Matching Soap Dispenser on Page 27











#### Smooth

Wall Mounted Infrared Mixer Battery or Mains Operated Spout Length 200 mm Chrome

AOE-SMO-1305-CP



Wall Mounted Infrared Mixer Battery or Mains Operated Spout Length 249 mm Chrome

AQE-ECO-I303-CP



Wall Mounted Infrared Mixer Battery or Mains Operated Spout Length 240 mm Chrome

AOE-ECO-1305-CP



Wall Mounted Infrared Mixer Battery Operated with Easy Access Battery Panel in Front Spout Length 240 mm

AQE-ECO-I315-CP



#### Eco Square

Wall Mounted Infrared Mixer Battery or Mains Operated Spout Length 200 mm Chrome

AQE-ECO-I333-CP



#### Eco Round

Wall Mounted Infrared Mixer Battery or Mains Operated Spout Length 175 mm Chrome

AQE-ECO-1355-CP



Wall Mounted Infrared Mixer Battery or Mains Operated Spout Length 185 mm Chrome

AQE-ECO-I307-CP



Wall Mounted Infrared Basin Mixer with Temperature Control Spout Length 206.5 mm Battery Operated Chrome

AQE-ECO-I325-CP

Mixers on this page, except AQE-ECO-I325-CP, require a Mixer Valve (page 35)







#### Smooth

Deck Mounted Infrared Mixer Battery or Mains Operated Chrome

AOE-SMO-I301-CP



#### M-Line

Deck Mounted Infrared Mixer Battery or Mains Operated Chrome

AQE-MLI-I302-CP

Brushed Nickel

AQE-MLI-I301-NB



Deck Mounted Tall Infrared Mixer Battery or Mains Operated 320 mm High Chrome

AQE-ECO-I302T-CP



Deck Mounted Infrared Mixer Battery or Mains Operated Chrome

AOE-ECO-I302-CP



Deck Mounted Infrared Basin Mixer with Temperature Control Battery or Mains Operated Chrome

AQE-ECO-I321-CP



Deck Mounted Infrared Basin Mixer with Temperature Control Battery or Mains Operated Chrome

AQE-ECO-I324-CP

### FINISHES:








(NB) Brushed Nickel

Mixers on this page, except AQE-ECO-I321-CP and AQE-ECO-I324-CP, require a Mixer Valve (page 35)





Deck Mounted Infrared Mixer Battery or Mains Operated Chrome

AQE-ECO-I301-CP



Savoia

Deck Mounted Infrared Mixer Battery or Mains Operated Chrome

AQE-SAV-I301-CP



Deck Mounted Infrared Mixer Battery or Mains Operated Chrome

AQE-ECO-I304-CP



Deck Mounted Infrared Mixer Battery or Mains Operated Chrome

AQM-WRM-321-CP

Mixers on this page require a Mixer Valve (page 35)





M-Line

Deck Mounted Infrared Liquid Soap Dispenser Battery or Mains Operated 1800 ml Bortle



Wall Mounted Infrared Liquid Soap Dispenser Battery or Mains Operated 1800 ml Bottle

AOE-ECO-251-CP

Chrome

Chrome

AOE-MLI-254-CP

Brushed Nickel

AQE-MLI-254-NB



Deck Mounted Infrared Liquid Soap Dispenser Mains Operated 1000 ml Bottle Chrome

AOE-WRM-254-CP



Wall Mounted Infrared Liquid Soap Dispenser Mains Operated 1000 ml Bottle Chrome

AQE-WRM-253-CP



Deck Mounted Infrared Liquid Soap Dispenser Battery or Mains Operated 1800 ml Bottle Chrome

AOE-ECO-252-CP



Wall Mounted Infrared Liquid Soap Dispenser Battery or Mains Operated 1800 ml Bottle Chrome

AQE-ECO-253-CP









Deck Mounted Minimalistic Pillar Tap with Head Valve with 1/2" Connection Chrome

AOE-ECO-302-CP



Wall Mounted Minimalistic Pillar Tap with Head Valve with 1/2" Connection Chrome

AOE-ECO-303-CP



Self Closing Push Tap with 1/2" Connection Flow Time 5 seconds (+/- 2 Sec) Chrome

AQE-ECO-306-CP



Self Closing Push Tap with 1/2" Connection Flow Time 15 seconds (+/- 5 sec) Chrome

AQE-ECO-308-A-CP



Self Closing Push Tap with 1/2" Connection Flow Time 10 seconds (+/- 3sec) Brushed Stainless Steel

AOM-IX3-306-SS



Self Closing Push Tap with 1/2" Connection Flow Time 15 seconds (+/- 5 sec) Chrome

AOE-ECO-304-CP



Wall Mounted Self Closing Push Tap with 1/2" Connection Flow Time 10 seconds (+/- 3sec) Brushed Stainless Steel

**AQM-IX3-307-SS** 



Wall Mounted Self Closing Push Tap with 1/2" Connection Flow Time 15 seconds (+/- 5 sec) Chrome

AQE-ECO-305-CP









(BS) Brushed Stainless Steel



Self Closing Concealed Shower Tap Flow Time 12 seconds (+/- 3 sec) Chrome

AQE-ECO-512100-A-CP

# AQUAZONE WASHROOM AND PLUMBING SOLUTIONS





Thermostatic Mixer Valve with Ceramic Cartridge I/2" Inlet, I/2" Outlet Preset Adjustable Temperature Setting, Lockable Chrome

AQM-WRM-T301-CON-CP



Mixer Valve
1/2" Inlet, 1/2" Outlet
Manual Temperature Setting

AOM-WRM-M301-CON-CP

Recommended for use with all Infrared Mixers and Push Taps







#### Community

Wall Mounted Wash Basin One Tap Hole without Overflow 690 x 540 x 160 mm Whire

AQE-MED-414-WH

Wash Basin Fixing Kit **RFK-BASIN-KIT** 



#### Community

Wall Mounted WC with Extended Projection 370 x 700 x 380 mm Ice White

GSI-7618-11-WH

Seat with Cover

GSI-MS7611-WH

Side Fixing Kit **BFK-UNI5-KIT** 

#### **FOOT WASH**



Foot Wash No Tap Hole No Overflow 410 x 600 x 295 mm White

AQE-MED-360-WH



Wall Mounted Infrared Mixer Battery Operated Spout Length 240 mm Chrome

AQE-ECO-I315-CP

Requires a Mixer Valve (page 35)







Contemporary Sequential Spray Lever Handle Wash Basin Mixer with 3/8" Rigid Connection without Pop-up Waste Chrome

AOE-MED-101-A-CP



Medical Clinic Mono Basin Mixer with Clinical Handle without Pop-up Waste with I/2" Flexible Pipes Chrome

AQE-MED-301-CP



Medical Clinic Basin Mixer with Swivel Spout with Clinical Handle Chrome

AQE-MED-361-CP





Disability Wall Mounted Wash Basin One Tap Hole with Overflow  $675 \times 530 \times 215 \text{ mm}$  White

AQE-MED-411-WH

Wash Basin Fixing Kit **BFK-BASIN-KIT** 



Cloak Room Wash Basin One Tap Hole with Overflow 455 x 305 x 170 mm Whire

AOE-MED-410-WH

Wash Basin Fixing Kit **BFK-BASIN-KIT** 



Shallow Undercounter Wash Basin with Overflow 525 x 355 x 160 mm White

BDS-PRO-112211-J-WH

Undercounter Basin Fixing Kit

BFK-UCNT-KIT



Wall Mounted WC with Extended Projection 350 × 700 × 340 mm White

KOL-M33500000

Seat without Cover **KOL-M30102000** 





#### Contract

Raised Height Disabled WC Projection Range 590-670 mm 360 x 472 x 390 mm White

AOE-MED-310-WH

Tank and Lid White

AQE-MED-325-WH

Mechanism and Handle

WC Flush Pipe

AOE-MED-327-WH

Fixing Bracket for Cistern

AOE-MED-040-WH

Union Connector (Nut) for Cistern

AOE-MED-061-WH

Flush Pipe Connector

AQE-MED-070-WH

Padded Cushion and Back Rail White

AQE-MED-053-WH

Straight WC Connector

**MUL-MKS2** 

Universal Fixing Kit Type 2

**BFK-UNI2-KIT** 

Open Front Seat (without cover), White

AQE-MED-331-WH



#### Contract

Child WC P-Trap 43 302 x 435 x 315 mm White

AOE-MED-311-WH

Child Seat without Cover

AOF-MFD-336-BK

Straight WC Connector

MUL-MKS2

Universal Fixing Kit Type 2 **BEK-UNI2-KIT** 



Medical Acrylic Inset Bath Tub with Built-in Seat  $1200 \times 750 \times 420 \text{ mm}$ Whire

AQE-MED-800-WH

Recommended Waste BDP-WBT-110-55-B-CP (Bath Pop-up Waste)



#### **Medical Assisted WC Pack**

Consisting of:

- Floor Mounted WC
- Cistern
- Toilet Seat Ring
- Wall Mounted Basin
- Medical Clinic Basin Mixer
- Push Type Basin Waste
- I I/4" Bottle Trap
- Straight Support Bar 600 mm
- Fold Down Grab Bar with Roll Holder

White

AQE-MED-720-WH



Image Shown Above

#### **Doc M6 Lite Low Level Disabled Set**

Consisting of:

- Low Level HO Pan
- 6 Litre Cistern and Spatula Cistern Lever
- Disabled Seat Only
- Wash Hand Basin
- I I/4" Chrome Basin Waste
- Basin Brackets x 2
- Sequential Spray Mixer Chrome
- 600 mm Grab Rails x 4
- Drop Down Rail with Toilet Roll Holder
- Back Rest Rail and Cushion x I
- I I/4" Bottle Trap

White

#### AQE-MED-710-WH

Complies with document M of the Building Regulations and BS8300:2009 Note: No fixing screws included





#### IX304

Stainless Steel Wall Mounted Foldable Shower Seat with Phenolic Seat without Fixing Screws 484 x 526 x 101 mm Brushed Stainless Steel

AOE-MED-051-SS



#### IX304

Stainless Steel Wall Mounted Foldable Shower Seat with White Polyethylene Seat without Fixing Screws 484 x 526 x 115 mm Brushed Stainless Steel

AOE-MED-052-SS







#### IX304

Stainless Steel Grab Bar Dia. 32 mm with Center Fixing Point without Fixing Screws I 200 x 95 x 78 mm Brushed Stainless Steel

AQE-MED-212-SS



#### IX304

Stainless Steel Straight Grab Bar without Fixing Screws Dia. 32 mm Brushed Stainless Steel

300 mm Length

AOE-MED-203-SS

600 mm Length

AQE-MED-206-SS

900 mm Length

AQE-MED-209-SS



#### IX304

Stainless Steel Foldable Grab Bar with Toilet Roll Holder without Fixing Screws 100 × 700 × 250 mm Brushed Stainless Steel

AQE-MED-285-SS



#### Doc M3 Pack

Grab Bars and Backrest Consisting of:

- Padded Backrest x I
- 600 mm Grab Bar x 3
- Foldable Grab Bar with Toilet Roll Holder x I without Fixing Screws Brushed Stainless Steel

AOE-MED-287-SS



Right Handle Version

#### IX304

Stainless Steel 90° Angled Grab Bar without Fixing Screws Dia. 32 mm 415 x 95 x 750 mm Brushed Stainless Steel

with Right Handle

AQE-MED-240-SS

with Left Handle

AQE-MED-241-SS





All produced in Stainless Steel Grade 304







#### Community

Wall Mounted Urinal with Pre-Punched Holes 310 x 390 x 600 mm

#### BDS-AQU-802511-A-WH

Inlet Pipe for Water Entry 1/2" (Required if the flushing system connects to a 1/2" flush pipe)

BDP-AQU-INT12-A-BR

Siphon

with Horizontal Outlet

**BDP-AQU-OUT12-A-YL** 

Universal Fixing Kit Type One **BFK-UNII-KIT** 



#### Remo II

Concealed Trap Urinal 370 x 300 x 655 mm

BDS-REM-800211-A-WH

Back Inlet Urinal Spreader 1/2" Connection

BDP-AOU-BIS15-A-CP

Chrome Plated Brass Grated Waste with Top Kleen Access 1 1/2" 63 mm Length

PEX-451-TK-CP

PP Bottle Trap
1 1/2" x 200 mm
AOP-BTR-160-WH

Urinal Fixing Bracket

**BFK-URNL** 



#### XIO

Wall Mounted Urinal 300 x 380 x 650 mm White

BDS-X10-480-WH

Back Inlet Urinal Spreader 1/2" Connection

BDP-AOU-BIS15-A-CP

Chrome Plated Brass Grated Waste with Top Kleen Access 1 1/2"
63 mm Length

PEX-451-TK-CP

Low Level Trap

**MUL-P1940** 

Flexipipe

FLX-CCS7

Urinal Fixing Bracket

**BFK-URNL** 



Urinal Partition 120 x 300 x 630 mm White

BDS-AQU-485-WH

Urinal Fixing Bracket **BFK-URNL** 



CISTERNS & MECHANISMS





#### IX304

Urinal Flush Plate
with Infrared Sensor
Adjustable Flush Timing
Auto Adjust Flush Sensor Range
Low Power Consumption 240 V, 50/60 Hz or 4 AA Batteries
(108000 Cycles)
24 Hour Hygienic Auto Flush
Suitable for Concealed Installation
Brushed Stainless Steel



Urinal Flush Valve with Infrared Sensor Low Power Consumption -240 V, 50/60 Hz or 4 AA Batteries (300000 Cycles) Suitable for Concealed Installation Stainlass Steel

AOP-ECO-U8001-SS

AOP-IX3-852-SS

Flush Pipe

**AQP-URN-851-PIPE** 







BAGNODESIGN Electronic Dual Flush Push Plate Fixation Bracket Fast Fixation Push Rods Pneumatic Flush Valve Mains Operated Black Glass

AQE-K5501E-G-BK



BAGNODESIGN
Electronic Dual Push Plate
with Additional
Manual Override
Fixation Bracket
Fast Fixation Push Rods
Pneumatic Flush Valve
Mains Operated
Black Glass

AQE-K5501E-Q-BK

Concealed Cisterns on Pages 53-55





#### IX304

WC Flush Valve with Infrared Sensor with Manual Override
Adjustable Flush Timing
Auto Adjust Flush Sensor Range
Low Power Consumption 240 V, 50/60 Hz or 4 AA Batteries
(108000 Cycles)
24 Hour Hygienic Auto Flush
Suitable for Concealed Installation
Brushed Stainless Steel

AOP-IX3-865-SS

Flush Pipe

AQP-IX3-865-PIPE



Concealed Cisterns on Pages 53-55





AQUAECO Flush Plate (Dual Flush)

Chrome

AQP-ECO-D802-CP



AQUAECO Flush Plate (Dual Flush)

Chrome

AQE-K5031-K-ESG3

Matt Chrome

AQE-K5031-K-ESG2

#### FINISHES:





Chrome

Matt Chrome

Concealed Cisterns on Pages 53-55







BAGNODESIGN Mezzanine Flush Plate (Dual Flush)

Polished Stainless Steel

BDP-MEZ-D800-CP

**Brushed Stainless Steel** BDP-MEZ-D800-NB



**BAGNODESIGN** M-Line Flush Plate (Dual Flush)

Polished Stainless Steel

BDP-MLI-D800-CP

**Brushed Stainless Steel** BDP-MLI-D800-NB



**BAGNODESIGN** Flush Plate (Dual Flush)

Chrome

AOE-K5132-K-ESGI

AQE-K5132-K-ESG1-GD

Polished Nickel

AQE-K5132-K-ESG1-PN



**BAGNODESIGN** Flush Plate (Dual Flush)

Chrome

AOE-K5231-K-ESG2

Matt Black

AQE-K5231-K-ESG4

Gloss White

AQE-K5231-K-ESG3

Matt Chrome

AQE-K5231-K-ESGI



BAGNODESIGN Flush Plate (Dual Flush) Stainless Steel

AQE-K5080-K-ESGI





Gold Chrome





Polished Nickel



Matt Chrome



Matt Black



Gloss White



Brushed



Polished Stainless Steel Stainless Steel

Concealed Cisterns on Pages 53-55





BAGNODESIGN Flush Plate (Dual Flush) Matt Chrome with Chrome Trim

AOE-K5130-K-ESG4



BAGNODESIGN Flush Plate (Dual Flush)

Chrome

AOE-K5230-K-ESG2

Gold

AQE-K5230-K-ESG2-GD

Polished Nickel

AOE-K5230-K-ESG2-PN

Matt Black

AQE-K5230-K-ESG4-MB

Gloss White

AOE-K5230-K-ESG3-WH



BAGNODESIGN Flush Plate (Dual Flush) Chrome with Matt Chrome Trim AQE-K5130-K-ESG2

Flush Plate

#### FINISHES:



Chrome

Gold



Nickel







Matt Black Gloss White

Matt Chrome







BAGNODESIGN Pneumatic Glass Flush Plate (Dual Flush) Whire

AOP-ECO-D801-WH



BAGNODESIGN Pneumatic Glass Flush Plate (Dual Flush) Black

AOP-ECO-D801-BK



BAGNODESIGN Pneumatic Glass Flush Plate (Dual Flush) Mint

AOP-ECO-D801-MNT



BAGNODESIGN Pneumatic Glass Flush Plate (Dual Flush) Red

AOP-FCO-D801-RD



BAGNODESIGN Pneumatic Glass Flush Plate (Dual Flush) Brushed Stainless Steel

AOP-IX3-D800-BS



BAGNODESIGN Pneumatic Glass Flush Plate (Dual Flush) Polished Stainless Steel

AQP-IX3-D800-PS

All of the above are Pneumatic Dual Flush Plates and are supplied as standard with a 4 m long cable, which enables the plates to be installed away from the concealed cistern if desired.

Direct access to the cistern is still required.





FINISHES:



White

(BK) Black

(MNT)

Mint







(BS) Brushed Stainless Steel

(PS) Polished Stainless Steel

Concealed Cisterns on Pages 53-55



### **AQUAECO** Flushing Solutions

- More space: Since concealed cisterns are built into the wall, they free up a considerable amount of bathroom space that would otherwise have been taken up by the cistern.
- State-of-the-art technology and durability: the AQUAECO range of concealed cisterns boasts high-tech working parts to ensure trouble-free operation. All cisterns are WRAS tested and approved.
- Design freedom: Homeowners and designers can pair their choice of actuator or flush plate and wall-hung or floor-standing toilet pan to perfectly complement their bathroom's particular style and design.
- Easy to clean and hygienic: Concealed cisterns and wall-hung WC pans provide the ideal easyto-clean and optimum hygiene solution - no obstables to clean around or cisterns to clean under
- Good for the environment: All AQUAECO cisterns contain a dual-flush mechanism, helping to reduce running costs by saving water - using as little as two litres of water for a half flush.
- Noise reduction: Since the cistern is built into the wall, any noise created by the process of flushing is significantly reduced, making this an ideal solution for en-suite bathrooms. This is also a key in any hospitality requirement.
- Strength: All AQUAECO cistern frames are designed and built to support up to 400 kg in weight.
- Warranty: All AQUAECO cisterns come with an impressive 10 year warranty.











Concealed Cistern for Wall Hung WC Front Operation Adjustable Dual Flush 6/3L, 4.5/3L and/or 4/2L Frame 1140 mm Height Installation Depth 90-110 mm Tank Depth 80 mm with WC Outlet Connector with Fixing Kit

AQE-K301-A01-ESG1





Concealed Cistern for Wall Hung WC Front Operation Adjustable Dual Flush 6/3L, 4.5/3L and/or 4/2L Frame 1140 mm Height Installation Depth147-190 mm Tank Depth 120 mm for Installation in Dry Wall with WC Outlet Connector with Fixing Kit

AOE-KI30-A01-ESGI





Concealed Cistern for Wall Hung WC Front Operation Adjustable Dual Flush 6/3L, 4.5/3L and/or 4/2L Frame 1095 mm Height Installation Depth 90 mm Tank Depth 80 mm for Installation in Block Wall with WC Outlet Connector with Fixing Kit

AQE-K301-B01-ESGI





Low Height Concealed Cistern for Wall Hung WC Front or Top Operation Adjustable Dual Flush 6/3L, 4.5/3L Frame 820 mm height

Installation Depth 130-150 mm Tank Depth 130 mm for Installation in Dry Wall with WC Outlet Connector with Fixing Kit

AQE-K210-A01-ESGI





Concealed Cistern for Back to Wall WC Front Operation Adjustable Dual Flush 6/3L, 4.5/3L and/or 4/2L Tank Depth 80 mm with Fixing Kit

AOE-K301-D01-ESG1





Concealed Cistern for Furniture with Dual Flush Mechanism and Dual Flush Valve 6/3L and 5/3L Chromated Push Button for Flexible Installation Adjustable Flush Bend with Dual Flush Push Button Installation Depth 220-380 mm Installation Height 470-610 mm with Fixing Kit

AQE-B695-D2-ESGI



Support Frame for Wall Hung Bidet
Adjustable Water Supply Position 60-350 mm
Bidet Outlet Bend, HDPE, Dia. 300/460 mm
Suitable to use with 130 mm thickness WC Frames Frame 1140 mm Height Installation Depth 147-190 mm with Fixing Kit

AQE-K601-L4-ESGI



Universal Frame for Wall Hung Toilet
Universal frame 520 mm
Galvanized Leg Supports,
Adjustable from 0-200 mm
Threaded Rods M12 for
Ceramics Fastening
WC Connection Set,
Dia. 90 mm
WC outlet bend, HDPE
or PVC,
Dia. 90 or 110 mm
Fastening Material

AQE-K501-K8032





Side Inlet Mechanism
Dual Flush - 3-6 Litres
Adjustable Float Variation 100 mm
Pressure Ranges 0.3 - 10 bar
Connections - 3/8" in brass
To convert to 1/2" plastic
AQE-B9352-ESGI
must be purchased
Universal Installation for most
European WC Cisterns
AQE-T001-SI

Bottom Inlet Mechanism
Dual Flush - 3-6 Litres
Adjustable Float Variation 75 mm
Pressure Ranges 0.3 - 10 bar
Connections - 1/2" in plastic
With or without Refill
Function available

AQE-T001-BI

Inlet - 3/8" in plastic **AOE-T008-BI** 



Side Inlet Fill Valve
AQE-T002-SI



Bottom Inlet Fill Valve
AQE-T002-BI



Mechanism Converter Kit Converts AQE-T001-SI Side Inlet Mechanism to be used in a Back Inlet Cistern that has a Cut Out Includes Thread Converter, Clip and Flexible Hose Connects to 3/8" Male Connection

AQE-B9352-ESGI









WATER SAVING & SAFETY





Anti-Scald Device for Shower Thermostatic Temperature Detector Automatically Closes when Water Temperature Exceeds 48°C

Chrome

AOP-ECO-580-CP

Brushed Nickel

AOP-ECO-580-NB

#### ANTI-SCALD DEVICE

The AQUAECO anti-scald device will maintain a safe temperature of hot water for appliances, a must for young children, the elderly and those requiring care.

By installing this device, the risk of scalding will greatly be reduced due to the automatic temperature detection, ensuring that when the water becomes too hot, the flow of water will stop.

After reaching a safe temperature the device will re-activate.





- Thermostatic temperature detector.
- Chrome brass body.
- Water flow is blocked if temperature goes above 48°C.
- · Self reactivation when the temperature decreases.

#### APPLICATIONS:

In Home Showers, Kitchen Mixers, Hospitals etc.



#### FINISHES:





(CP) Chrome

(NB) Brushed Nickel





Pressure Limiter
Limits the Downstream Pressure to 1 Bar
Ideal for Shower Hoses/Heads and Bidet Sprays
Available in all finishes (see below)
AOP-ECO-590-

## PRESSURE LIMITER APPLICATIONS:



#### **Shower Heads/Handles**

 Protection against exceess pressure load due to clogged nozzles or high line pressure



#### **Bidet Sprays**



May ease operation



#### **Other Applications**



#### FINISHES:



(CP) Chrome



(BZ) Bronze



(NB) Brushed Nickel



(GD) Gold



(CR) Brushed Copper



(PN) Polished Nickel



(AN) Anthracite



(MB) Matt Black



(MW) Matt White







- · Minimal effect to the function of the mixer or shower: does not hamper performance.
- Installing flow-limiting devices can result in a 40-50% cut in water consumption.



Flexi Washer Flow Regulator

Suitable for Flexi Tails or Flexible Hoses and Shower Heads (Female Thread)

0.5 GPM (1.9 L/Min) AOP-ECO-TYI-0.5

1.0 GPM (3.8 L/Min) AOP-ECO-TYI-1.0

L5 GPM (5.7 L/Min) AOP-ECO-TYI-1.5

1.75 GPM (6.6 L/Min) AOP-ECO-TYI-1.75

2.0 GPM (7.5 L/Min) AOP-ECO-TYI-2.0

2.2 GPM (8.4 L/Min) AOP-ECO-TYI-2.2

2.5 GPM (9.5 L/Min) AOP-ECO-TYI-2.5

Flexi Insert Flow Regulator

Suitable for Hand Showers. Bib Taps and Shower Arms (Male Thread)

1.0 GPM (3.8 L/Min) AOP-ECO-TY2-1.0



1.5 GPM (5.7 L/Min) AQP-ECO-TY2-1.5

1.75 GPM (6.6 L/Min) AOP-ECO-TY2-1.75

2.0 GPM (7.5 L/Min)

AOP-ECO-TY2-2.0

2.2 GPM (8.4 L/Min) AQP-ECO-TY2-2.2

2.5 GPM (9.4 L/Min)

AQP-ECO-TY2-2.5

Aerator Flow Reducer (insert only)



(Please contact sales team for more details.)



Specific flow rated reducers and regulators not listed are available on request.



WASTES & TRAPS



PP Waste with Poly Plug and Chain Chain Length 300 mm Stainless Steel

I I/4"

AOP-WBB-400-NS-SS

1 1/2"

AOP-WBB-401-NS-SS







PP Push Type Basin Waste Stainless Steel Wrapped PP Plug for Basin Thickness 30-45 mm L I/4" Connection Stainless Steel

Slotted

AOP-WBB-200-S-SS

Non-Slotted

AOP-WBB-200-NS-SS



Rasket Strainer Waste Stainless Steel Bowl Plastic Waste Body Stainless Steel Strainer Plug Suitable for Kitchen Sinks with Nominal 90 mm Waste Hole Vertical I I/2" Outlet Stainless Steel

AOP-WBB-403-SS



PP Push Type Basin Waste Plug Stainless Steel Wrapped PP Plug 65 mm Dia, Top Stainless Steel

AOP-WSH-502-SS



Universal Flexi Waste Pipe for use with 1 1/4" or I I/2" Waste White



Long

32 mm - Length 540 mm - 1500 mm 40 mm - Length 460 mm - 1420 mm

AQP-WBB-II0-WH



PP Pop-Up Basin Waste Plug Brass Plug on Plastic Stem 40 mm Dia.Top Chrome

AQP-WSH-503-CP



32 mm - Length 330 mm - 640 mm 40 mm - Length 250 mm - 560 mm

AQP-WBB-III-WH





PP Straight Pedestal Trap Height Adjustable 260-360 mm with 76 mm Trap Seal I I/4" x I I/4" White

AOP-TRP-110-WH



Bottle Trap
with Alternate Flange
| 1/4" x | 1/4"
Chrome

280 mm Outlet Tube

400 mm Outlet Tube **BDP-BTR-140-40-CP** 



PP Bottle Trap with Plug, Chain and Waste 50 mm Trap Seal 200 mm Outlet Pipe and Collar White

I 1/4" x I 1/4" Height Adjustable 155-255 mm

AQP-BTR-150-WH

I 1/2" x I 1/2" Height Adjustable 185-285 mm

AQP-BTR-151-WH



PP Bottle Trap without Waste Height Adjustable 140-240 mm 50 mm Trap Seal 200 mm Outlet Pipe and Collar Whire

| |/4" x | |/4" | AQP-BTR-152-WH

AQP-BTR-160-WH



PP S Trap
75 mm Trap Seal
1 1/4" x 1 1/4"
Suitable for Basins, Bidet
and Urinals
32 mm
White

AQP-TRP-130-WH



PP Urinal Trap with Integrated Siphon Horizontal 50 mm Outlet 60 mm Trap Seal White

AQP-TRP-400-WH



Built-in Furniture Trap Recommended for Floating Shelves with 1/2" Connections for Hot & Cold Water Supplies Chrome Plated Brass Waste Pipe 50 mm Water Trap Seal Outlet Capacity 42 I/m Chrome

AQP-TRP-115-CP



Anti-drip System for Deck Mounted Bath Mixer with Waste Pipe Adapter To be connected to Handshower Holder Catches Drips from Hose and Safely Drains Away White

AQP-TRP-801-WH





Pop-up Bath Waste with Flexible Overflow Pipe Control Handle in Brass 550 mm Chrome

AOP-WBT-110-60-A-CP



Bath Waste
with Plug & Chain
I 1/2"
Chrome



Push Type Bath Waste with Flexible Overflow Pipe 800 mm Chrome

AOP-WBT-215-CP



Slimline Pop-up Bath Waste with Filler and Flexible Overflow Pipe Chrome

650 mm

AQP-WBT-110-CP

900 mm

AQP-WBT-115-CP



Shallow Brass Bath Waste Trap | 1/2" x | 1/2"
Brass
AOP-BTR-121-BR



PP Bath Trap
| 1/2" x | 1/2"
White
AOP-TRP-800-WH





(CP) Chrome



(BR) Brass



(WH) White



PP P Trap with Cleaning Eye 19 mm Trap Seal I I/2" x I I/2" White

AQP-TRP-120-WH





Shower Waste and Trap Removable Chrome Top Suitable for Shower Trays with Nominal 50 mm Waste Hole Horizontal 1 1/2" Outlet 50 mm Trap Seal Capacity 26 L/Min

AQP-WSH-505-CP



Shower Waste and Trap Removable Chrome Top Suitable for Shower Trays with Nominal 90 mm Waste Hole Horizontal 1 1/2" Outlet 35 mm Trap Seal Capacity 19 L/Min

AOP-WSH-500-CP



Shower Waste and Trap Removable Chrome Top Suitable for Shower Trays with Nominal 90 mm Waste Hole Vertical 50 mm Outlet 50 mm Trap Seal Capacity 60 L/Min Chrome

AQP-WSH-501-CP



Shower Waste and Trap Removable White Top Suitable for Shower Trays with Nominal 90 mm Waste Hole Vertical 50 mm Outlet 50 mm Trap Seal Capacity 60 L/Min White

AQP-WSH-501-WH





	F 1/2" x F 1/2" WC Connection 12 Bar Pressure Available in Sizes:
AQF-T01-F1/2F1/2-20	20 cm
AQF-T01-F1/2F1/2-30	30 cm
AQF-T01-F1/2F1/2-40	40 cm
AQF-T01-F1/2F1/2-45	45 cm
AQF-T01-F1/2F1/2-60	60 cm
AQF-T01-F1/2F1/2-80	80 cm

	F 1/2" x F 3/8" WC Connection 12 Bar Pressure Available in Sizes:		AND THE OWNER OF THE OWNER OWNER OF THE OWNER OW
AQF-181TF-1/2X3/8-40	40 cm	Since A consideration for the same	
AQF-181TF-1/2X3/8-60	60 cm		

Flexible hoses in stainless steel braid, suitable for connections between plumbing systems, mixers, sanitaryware, water heaters and various other appliances. Installation with washers at both ends.

#### **BRASS**

	Double Interlock Brass Flexible Hose Available in Sizes:	
BDD-SHW-HOII50-B-CP	1500 mm	 
BDD-HOSE-202-CP	1250 mm	



	Flexible Stainless Steel Hose Available in Sizes:
AQF-IX3-100-SS	1000 mm
AQF-IX3-120-SS	1200 mm
AQF-IX3-150-SS	1500 mm









#### IX304

Mini Undermount Sink [with Waste & Fixing Kit] 204 x 424 x 130 mm Stainless Steel

AQE-IX3-1840-U-SS



#### IX304

Medium Undermount Sink [with Waste & Fixing Kit] 440 x 440 x 180 mm Stainless Steel

AQE-IX3-4040-U-SS



#### IX304

Large Undermount Sink [with Waste & Fixing Kit] 540 x 440 x 200 mm Stainless Steel

AQE-IX3-5040-U-SS



#### IX304

Round Undermount Sink [with Waste & Fixing Kit] Dia. 440 x 160 mm Stainless Steel

**AQE-IX3-390-U-SS** 





IX304

Single Undermount Sink [without Waste & with Fixing Kit] 420 × 420 × 230 mm Stainless Steel

AOE-ECO-4242-U-SS

Recommended Waste AOP-WBB-403-SS



#### IX304

Double Undermount Sink [with Waste & Fixing Kit] 791 x 445 x 200 mm Stainless Steel

Sink Integrated

AOE-IX3-7540-L-SS

Sink for Undercounter

AQE-IX3-7540-U-SS



#### IX304

Double Undermount Sink [without Waste & with Fixing Kit] 800 x 420 x 230 mm Stainless Steel

AOE-ECO-8042-U-SS

Recommended Waste AQP-WBB-403-SS x 2



Basket Strainer Waste Stainless Steel Bowl Plastic Waste Body Stainless Steel Strainer Plug Suitable for Kitchen Sinks with Nominal 90 mm Waste Hole Vertical 1 1/2" Outlet Stainless Steel

AQP-WBB-403-SS

#### CLEANER'S SINK



Wall Mounted Cleaner's Sink Practical Low Backed Sink with Hinged Stainless Steel Bucket Grating Hardwood Pad 510 x 390 x 545 mm

BDS-CLS-105350-A-WH

Bracket and Legs - Pair (not shown) Aluminium

BDS-CLS-903023-A-AL

Un-Slotted Waste Stainless Steel

BDS-CLS-905123-A-SS







Q Single Hole Kitchen Sink Mixer with Swivel Spout with 1/2" Flexible Pipes Min. Operating Pressure 1.5 bar MP Chrome

AOE-O-361-CP



#### Lundy

Single Hole Kitchen Sink Mixer with Swivel Spout with 1/2" Flexible Pipes Min. Operating Pressure 0.5 bar LP Chrome

AQE-LUN-361-CP



#### Canvey

Single Hole Kitchen Sink Mixer with Swivel Spout with 1/2" Flexible Pipes Min. Operating Pressure 1.0 bar MP Chrome

AOE-CAN-361-CP



#### Tresco

Single Hole Kitchen Sink Mixer with Swivel Spout with I/2" Flexible Pipes Min. Operating Pressure 0.5 bar LP Chrome

AQE-TRE-361-CP



#### **Diplomat**

Single Hole Kitchen Sink Mixer with Swivel Spout with 1/2" Flexible Pipes Min. Operating Pressure 1.0 bar MP Chrome

AQE-DIP-361-CP



#### Stamford

Single Hole Kitchen Sink Mixer with Pull-Out Shower with 1/2" Flexible Pipes Min. Operating Pressure 1.0 bar MP Chrome

AOE-STM-361-CP



#### Eco

Wall Mounted Kitchen Sink Mixer with Swivel Spout Min. Operating Pressure 0.5 bar LP Chrome

AQE-ECO-361-CP

NOTES	

NOTES	

NOTES	

### **DISCLAIMER**

This product guide replaces the earlier product guides.
Prices and product specifications are subject to change without prior notice.
Products are subject to availability.
Pictures are for representation only.
Products do not come with accessories.
Actual product colours may differ.

# AQUAZONE

Oakwell Way, Birstall Leeds, England WF17 9LU Tel: +44 (0)1924 233977

Email: info@aquazone-uk.com

